



Check Out Our Recently Introduced Fleetguard Products – Q4 2011




For more information about the products listed, please visit our online catalog at cumminsfiltration.com.

AF27686	Crosses to	Caterpillar 6T5068, Baldwin PA3825, Donaldson P606091	Applies to	Caterpillar loaders 933C, 939C		H: 16 mm L: 16 mm W: 269 mm
AF27691	Crosses to	John Deere AT178583, Baldwin RS3974, Donaldson P538392, Wix 42754	Applies to	John Deere loader series 624, Case 821E		H: 557.15 mm OD: 235.90 mm ID: 137.00 mm
AF27695	Crosses to	Komatsu XA4291, Donaldson P608305	Applies to	Caterpillar dump truck 785D		H: 566.67 mm OD: 294.89 mm ID: 235.97 mm
AF27700	Crosses to	Caterpillar 7G6599, Baldwin PA3917, Donaldson P606092	Applies to	Caterpillar graders 21G, 140G, scrapers 6xx series, E, loaders 700 and 900 series, IT tool carrier		H: 16 mm L: 444 mm W: 215.5 mm

AF27835	Crosses to	Caterpillar 2314486	Applies to	Caterpillar graders 12H, A4H, A6H		H: 17 mm L: 350 mm W: 86 mm
AF27842	Crosses to	Volvo CE 11200824	Applies to	Volvo loaders BL61, BL71		H: 8.25 mm L: 385 mm W: 91 mm
AF27844	Crosses to	Deutz 1182956, Ingersoll 54672530, Mann C25740, Volvo 21377917,	Applies to	Kässbohrer, Volvo Penta D70		H: 341.5 mm OD: 248 mm ID: 139 mm
AF27846	Crosses to	John Deere AT178584, Baldwin RS3975, Donaldson P538393, Wix 42755	Applies to	John Deere loader series 624, Case 821E		H: 544 mm OD: 132 mm ID: 94 mm
AF27850	Crosses to	Caterpillar 1805474, Baldwin RS4994, Donaldson P606804, Wix 42243	Applies to	Caterpillar 315C, D3G, D4G, D5G		H: 321 mm OD: 165 mm ID: 92.5 mm
AF27851	Crosses to	Caterpillar 1805475, Baldwin RS4995, Donaldson P610489, Wix 46934	Applies to	Caterpillar 315C, D3G, D4G, D5G		H: 310 mm OD: 93 mm ID: 72 mm

AF27867	Crosses to	Perkins 135326206, Lister-Petter 62450610, Baldwin RS4680,	Applies to	Lister Petter industrial engines		H: 319.5 mm OD: 147 mm ID: 76.5 mm
AF27880	Crosses to	Liebherr 5618683, SF Filter SKL46053	Applies to	Liebherr A914, A924, R914, R924		H: 47.5 mm L: 428 mm W: 139 mm
AF55727	Crosses to	Komatsu 4270722120, Baldwin PA5482, Donaldson P606063, Wix 49820	Applies to	Komatsu dump trucks, loaders WA250, WA430-6, WA450-5, WA470- 6, WA480-6 ...		H: 254.76 mm L: 312.93 mm W: 46.736 mm
FF166	Crosses to	Yanmar 12390755801, Baldwin BF7907, Donaldson P550643	Applies to	Volvo excavators ECR58, ECR88, EW55B with Yanmar engine		H: 162 mm OD: 92.5 mm ID: 55.5 mm
FF5789	Crosses to	Caterpillar 5S7645, Donaldson P502136	Applies to	Caterpillar D7G with engine 3306T		H: 69.09 mm OD: 28.45 mm ID: 0
FF5795	Crosses to	Hitachi 4642641, Baldwin PF7982, Donaldson P502377	Applies to	Hitachi excavators ZX series		H: 139.19 mm OD: 94.49 mm ID: 26.16 mm

FS19971	Crosses to	CNH 87803441, Baldwin BF7953D, Donaldson P551425	Applies to	ASH		H: 195.58 mm OD: 83.06 mm
FS19973	Crosses to	CNH 47335709, Baldwin BF9839D, Mann WK8136, Mann WK8165	Applies to	Komatsu WB95-5, Case HW series windrowers, loader 440CT, telescopic handler M427, M428, M459		H: 70.87 mm OD: 83.06 mm
FS19979	Crosses to	JCB 32925760, Baldwin BF9833D, Donaldson P551427, Mann WK8138	Applies to	JCB loaders 426 series, shovels JS145, JS145W, 175W		H: 153.42 mm OD: 83.06 mm
FS19980	Crosses to	JCB 32925666, Mann WK8112	Applies to	JCB loaders 8000 series, ZTS, with 404C and D engines		H: 115.32 mm OD: 83.06 mm
FS19986	Crosses to	John Deere RE521540, Baldwin BF7971DM, Wix 33767	Applies to	John Deere engines 6068 TFM		H: 188.47 mm OD: 83.06 mm
FS19992	Crosses to	JCB 32925869, Mann WK8139, Stanadyne 38332	Applies to	JS shovels JS160, JS190, JS220, JS260, JS330, with Isuzu or JCB engines		H: 195.58 mm OD: 83.06 mm

FS19993	Crosses to	JCB 32925975, Stanadyne 38738	Applies to	JS shovels JS160, JS190, JS220, JS260, JS330, with Isuzu or JCB engines		H: 195.58 mm OD: 83.06 mm
FS19994	Crosses to	JCB 32925994, Baldwin BF9822D, Stanadyne 38695	Applies to	JCB telescopic handlers 525, 535		H: 134.37 mm OD: 83.06 mm
FS20009	Crosses to	Caterpillar 1R1804, Baldwin BF7925, Baldwin FD7926, Wix 33804	Applies to	Bobcat lift trucks V series, Cat backhoe loaders 400 series, Cat fork lifts TH series, JCB Robot, McCormick CX series, Manitou fork lifts. Perkins engines 1104		H: 203.56 mm OD: 87.12 mm
HF35381	Crosses to	Caterpillar 1303212, Baldwin BT8886MPG, Donaldson P170311, Donaldson P173702, Wix 57115	Applies to	Caterpillar excavators 350 series, 365 series, 375 series, 385 series, truck series 77x series		H: 241.81 mm OD: 79.5 mm ID: 47.24 mm
HF35467	Crosses to	Caterpillar 1194740, Baldwin BT8417, Donaldson P550486, Mann 6740358096, Mann WD7245, Wix 57116	Applies to	Caterpillar backhoe loaders 4xx series, New Holland loaders, Manitou		H: 139.7 mm OD: 77.47 mm
HF35478	Crosses to	Manitou 563483, Baldwin PT8940MPG, Wix W01AG347	Applies to	Manitou MLT 6xx, 7xx and 9xx series		H: 178 mm OD: 69 mm ID: 29 mm

HF35479	Crosses to	Manitou 236094, Wix W01AG593	Applies to	Manitou MLT731 with Perkins engine		H: 244.5 mm OD: 69 mm ID: 29 mm
HF35480	Crosses to	Caterpillar 1R1809, Baldwin PT9407MPG, Donaldson P569614, Wix 57809	Applies to	Caterpillar graders, loaders 950H, 962H, 980H, with C11, C15 engines, Dozer D9T		H: 265.73 mm OD: 124.46 mm ID: 52.32 mm
HF35482	Crosses to	Komatsu 14X6031150, Baldwin PT9413MPG, Mann HD11001	Applies to	Komatsu dozers D65, D65EX, D65PX, excavators PC130-8, WA430-6		H: 199.5 mm OD: 110 mm ID: 61 mm
LF17475	Crosses to	Caterpillar 2698325, Baldwin B7378, Donaldson P550920, Wix 57325	Applies to	Caterpillar D6N crawler, Massey Ferguson tractor series 6465 - 7480 with Perkins engines		H: 210 mm OD: 92 mm ID: 62 mm



For more information, visit
cumminsfiltration.com

MB10153
 ©2011 Cummins Filtration
 Printed in U.S.A. on Recycled Paper